






Company	Re..	257.013	Designation	T-27A
	Date	11.1.85.	Code No	267.008.00/2



INPUT | ENTRATA

Gear arrangement



90° BEVEL GEARS

Ratio		Rated input		Rated input power		Rated output torque		Weight		Lubricant	
i		r.p.m.		HP		da Nm		Kg		Oil ☒	Grease ☐
										Type	Quantity Kg
1:1		540		38		48		21		SAE.90EP	1

Bevel couplings							Cylindrical couplings							Bearings	
Helicoidal	Straight	Teeth number				Module	Helicoidal	Straight	Teeth number				Module	A	
		Z ₁	Z ₂	Z ₃	Z ₄				m	Z ₁	Z ₂	Z ₃			
	*	14	14			6,5								B	6207
														C	30207
														D	6207
														E	
														F	
														G	
														H	

Components material				
Casing	Shaft Z	Shaft Y	Bevel gear	Spur gear
G 25 UNI 5007	C 40 UNI 5332	C 40 UNI 5332	16CrNi4 UNI 5331	

COMER S.p.A. - 42046 Villanova di Reggio (RE) Italia - Tel. 0522/973121 (9 linee) - Telefax 0522/973249 - Telex 530252 COMEX I



COMPANY

DATE


CODE No

267.008.00e

DESIGNATION

T-27A

6-10-88



DESIGNATION GEAR BOX T-27A			CODE No	9.267.008.00
POS.	DRG. N.	PIEC	DESCRIPTION	
1	0.267.0300.00	1	CASING	
2	8.0.1.00025	3	BEARING 6207	
3	8.5.2.00131	3	SNAP RING 72 UNI7437	
4	8.7.3.00055	2	OIL SEAL 35X72X10	
5	0.259.7500.00	4	SHIM 48,0	
6	8.5.1.00005	2	SNAP RING 35 UNI7435	
7	0.241.5001.00	2	GEAR Z14 M6,5	
8	8.4.1.00021	2	PARALLEL KEY A 10X8X35	
9	8.0.9.00026	1	BEARING 30207	
10	0.267.7100.00	1	SPACER	
11	0.242.2101.01	1	SHAFT 1"3/8	
12	0.248.7500.00	1	SHIM 71,7	
13	8.6.6.00201	3	PLUG 3/8"GAS	
14	0.242.3103.00	1	SHAFT 1"3/8	
15	8.7.0.00744	1	CAP 72X10	
16	8.1.1.00054	4	BOLT M10X20 8,8	
17	0.267.1302.00	1	COVER	